


Fox Valley

TRI-COUNTY CORE DATA

Demographics

Percentage of Population Below 18 Years of Age




Date Used: 2011

Source: County Health Rankings/US Census

Demographics

Percentage of Population 65 and Older




Date Used: 2011

Source: County Health Rankings/US Census

Demographics

Percentage of Population that is African American, Asian, American Indian or Alaskan Native, or Hispanic




Date Used: 2011

Source: County Health Rankings/US Census

Demographics

Percentage of Population Not Proficient in English




Dates Used: 2007-2011

Source: County Health Rankings/US Census/ACS

Demographics

Percentage of Population Living in Rural Areas




Date Used: 2010

Source: County Health Rankings/US Census

Demographics


Percentage of Change in Population (2000-2010)



Date Used: 2011
Source: DHS

Mortality

Premature Death (Before age 75 per 100,000 population)




National Benchmark: 5,317 per 100,000

Dates Used: 2008-2010

Source: County Health Rankings/CDC/NVSS

Mortality

Infant Mortality (Per 1,000 live births)




HP2020 Target: 6.0

Date Used: 2010

Source: DHS WISH system

Measures of Overall Health

Percentage of Adults in Poor or Fair Health




National Benchmark: 10%

Dates Used: 2005-2011; 2010, Fox Cities

Source: County Health Rankings/BRFSS

Measures of Overall Health

Average Number of Poor Physical Health Days (In the past 30 days)




National Benchmark: 2.6

Dates Used: 2005-2011

Source: County Health Rankings/BRFSS

Measures of Overall Health

Percentage of Low Birth Weights (<2,500 grams)




National Benchmark: 6%

Dates Used: 2004-2010

Source: County Health Rankings/DHS/WISH

Chronic Disease


Percentage of Diabetic Adults (Age 20 and above)



Date Used: 2009; 2010, Fox Cities
Source: CHR - Additional Measures/BRFSS

Chronic Disease


Cancer Incidences (Per 100,000 population)



Dates Used: 2004-2008
Source: DHS WISH system

Chronic Disease

Coronary Heart Disease Hospitalizations (Per 1,000 population)




Dates Used: 2010

Source: DHS, Public health profiles

Chronic Disease


Cerebrovascular Hospitalizations (Per 1,000 Population)



Dates Used: 2010
Source: DHS, Public health profiles

Chronic Disease


Percentage of Youth Asthma



Dates Used: 2007
Source: YRBS

Oral Health

Fluoride in Public Water Supply




Date Used: 2011

Source: WI Public Water Supply Fluoridation Census, DHS

Oral Health

Percentage of Untreated Decay (3rd Grade Children)




HP 2010 Target: 20%

Date Used: 2008

Source: DPH, Make Your Smile Count Survey

Communicable Disease

Percentage of Influenza Immunization (Age 65 and older in the last 12 months)




Dates Used: 2008-2010
Source: DHS WISH system

Mental Health

Poor Mental Health Days

(Average number of days reported in the last 30 days)




National Benchmark: 2.3

Dates Used: 2005-2011

Source: County Health Rankings/BRFSS

Mental Health


Intentional Injury Hospitalizations (Per 100,000 Population)



Date Used: 2012
Source: DHS WISH system

Injury & Violence


Causes of Hospitalizations for Injuries (Per 100,000 population)



Date Used: 2012
Source: DHS WISH system

Injury & Violence


Deaths Due to Falls (65+ per 100,000 population)



Date Used: 2011
Source: DHS WISH system

Alcohol & Drugs

Excessive Drinking (Binge or heavy drinking by adults)




National Benchmark: 7%

Dates Used: 2005-2011

Source: County Health Rankings/BRFSS

Alcohol & Drugs

Motor Vehicle Crash Occupancy Rate (Per 1,000 population)




Dates Used: 2008-2010

Source: CHR - Additional Measures/ WI DOT

Alcohol & Drugs


Alcohol-Related Hospitalizations (Per 1,000 population)



Date Used: 2010
Source: DHS, Public health profiles

Alcohol & Drugs


Percentage of Youth Drinking



Date Used: 2011
Source: YRBS

Physical Activity & Nutrition

Adult Obesity (Age 20+ with BMI > 30)




National Benchmark: 25%

Date Used: 2009

Source: County Health Rankings/BRFSS

Physical Activity & Nutrition

Percentage of Adults Reporting No Physical Activity (Age 20 and Above)




National Benchmark: 21%

Date Used: 2009

Source: County Health Rankings/BRFSS

Physical Activity & Nutrition


Percentage of Overweight Students



Date Used: 2011
Source: YRBS

Physical Activity & Nutrition


Percentage of Physically Active Youth (At least 60 min per day on less than 5 days)



Date Used: 2011
Source: YRBS

Physical Activity & Nutrition

Percentage of Breastfed Infants (Through 3 months)




HP2020 Target: 46%

Date Used: 2011

Source: Pediatric Nutrition Surveillance System (WIC), DHS

Tobacco


Percentage of Adult Smokers
(>100 cigarettes in their lifetime & currently smoking)



National Benchmark: 14%
Dates Used: 2005-2011; 2010, Fox Cities
Source: County Health Rankings/BRFSS

Tobacco


Percentage of Adults Who Use Smokeless Tobacco (Currently using chewing, snuff or snus everyday or some days)



Date Used: 2009; 2010, Fox Cities
Source: BRFSS

Tobacco

Percentage of Mothers Who Smoke While Pregnant




Dates Used: 2007-2010

Source: County Health Rankings/ DHS WISH

Tobacco


Percentage of Illegal Tobacco Sales to Minors



Date Used: 2012
Source: Wisconsin WINS

Tobacco


Percentage of Youth Tobacco Use (Cigarettes or smokeless tobacco in the past 30 days)



Date Used: 2011
Source: YRBS

Reproductive & Sexual Health

Chlamydia Cases (Per 100,000 population)




90th Percentile: 92

Date Used: 2010

Source: County Health Rankings/CDC/NCHHSTP

Reproductive & Sexual Health

Teen Birth Rate (Per 1,000 females age 15-19)



90th Percentile: 21


National Benchmark: 22

Dates Used: 2004-2010

Source: County Health Rankings/CDC/NVSS

Reproductive & Sexual Health

Adequacy of Prenatal Care (Per Kessner or Kotelchuck indices)




Date Used: 2010

Source: Birth Certificates (WISH)

Reproductive & Sexual Health

Percentage of Preterm Births (<37 weeks gestation)




Date Used: 2010

Source: Birth Certificates (WISH)

Reproductive & Sexual Health


Percentage of Youth Sexual Behavior



Date Used: 2011
Source: YRBS

Access to Care

Percent of Preventable Hospital Stays in 2010




National Benchmark: 47 per 1,000

Date Used: 2010

Source: County Health Rankings/Dartmouth Atlas

Access to Care

Percent of Population Under the Age of 65 Without Health Insurance in 2010




National Benchmark: 11%

Date Used: 2010

Source: County Health Rankings/US Census

Access to Care


Percentage of Medicaid Member Dental Utilization in 2008



Date Used: 2008
Source: DHS, Forward Health

Access to Care

Percentage of Population of No Recent Dental Visits (Age 2+)




Date Used: 2004-2010

Source: CHR - Additional Measures/DHS/FHS

Access to Care


Local Health Department Staffing (Per 10,000 Population)



Date Used: 2010
Source: DHS, Public health profiles

Chronic Disease Management


Percentage of Cervical Cancer Screenings (Woman 18+ in the last 3 years)



Date Used: 2010
Source: DHS WISH system

Chronic Disease Management


Percentage of Colon Cancer Screenings
(Persons 50+ who have had a sigmoidoscopy or colonoscopy)



Dates Used: 2006-2008, Outagamie Co.; 2008-2010, WI.; 2010, Fox Cities
Source: DHS WISH system/BRFSS

Chronic Disease Management

Percentage of Diabetic Medicare Screenings (HbA1c in the past year)




National Benchmark: 90%

Date Used: 2010

Source: County Health Rankings/Dartmouth Atlas

Chronic Disease Management

Percentage of Mammography Medicare Screenings (Age 67-69 over the past 2 years)



National Benchmark: 90%


90th Percentile: 73%

Date Used: 2010

Source: County Health Rankings/Dartmouth Atlas

Chronic Disease Management


Percentage of Cholesterol Screenings (Adults who have had screening & told it was high)



Dates Used: 2006-2008, Outagamie Co.; 2009, WI.; 2010, Fox Cities
Source: DHS WISH system/BRFSS


Chronic Disease Management

Percentage of Chronic Disease Screenings



Education


Percentage of High School Graduates



Dates Used: 2010-2011; 2010, Fox Cities
Source: County Health Rankings/DPI/BRFSS

Education

Percentage of Adults with Some College or Associate's Degree (Age 25-44)



National Benchmark: 68%


90th Percentile: 70%

Dates Used: 2007-2011; 2010, Fox Cities

Source: County Health Rankings/US Census/BRFSS

Education

Percentage of Fourth Grade Reading Proficiency




HP 2020 Target: 36.3

Date Used: 2012

Source: WI School Performance Report

Employment

Percentage of Unemployment (Age 16+ unemployed but seeking work)



National Benchmark: 5.4%


90th Percentile: 5%

Date Used: 2011

Source: County Health Rankings/BLS

Employment

W2 Enrollment (On the last working day of the month)




Date Used: December 2012

Source: WI Department of Children & Families

Adequate Income

Median Household Income (Residents over 18)




Date Used: 2011

Source: CHR - Additional Measures/US Census

Adequate Income

Percentage of People Living Below Poverty Line



Date Used: 2010

Source: County Health Rankings/US Census


National Benchmark: 13%

Date Used: 2011

Source: CHR - Additional Measures/NCES

Adequate Income

Percentage of Children in Public Schools Eligible for Free Lunch




Date Used: 2011

Source: CHR - Additional Measures/US Census

Adequate Income


Percentage of High Housing Costs (30% or more of their household income)



Dates Used: 2007-2011
Source: US Census

Community Safety

Violent Crime Rate (Per 100,000 population)



National Benchmark: 73 per 100,000


90th Percentile: 66

Dates Used: 2008-2010

Source: County Health Rankings/CPSR

Community Safety

Child Abuse Rate (Per 1,000 population)




Date Used: 2011

Source: WI Child Abuse & Neglect Report

Community Safety


Percentage of Students Bullied in School (Past 12 months)



Date Used: 2011
Source: YRBS

Health Literacy

Percentage of Illiterate Population (Age 16 and older)




Date Used: 2003

Source: County Health Rankings/NCES

Social Support

Percentage of Adults Without Social Support




National Benchmark: 14%

Dates Used: 2005-2010

Source: County Health Rankings/BRFSS

Social Support

Percentage of Single-Parent Households




National Benchmark: 20%

Dates Used: 2007-2011

Source: County Health Rankings/US Census/ACS

Social Support

Percentage of Elderly Living Alone (Age 65 and older)




Dates Used: 2009-2011

Source: US Census

Racism


Hate Crime Rate (Per 100,000 population)



Date Used: 2009
Source: Office of Justice Assistance

Built Environment

Percentage of Poverty too far from Grocery Store (10 miles rural/1 miles urban)



National Benchmark: 0%


90th Percentile: 1%

Date Used: 2012

Source: County Health Rankings/USDA

Built Environment

Percentage of Restaurants That Are Fast Food Restaurants



National Benchmark: 25%


90th Percentile: 27%

Date Used: 2010

Source: County Health Rankings/US Census

Built Environment


Elevated Blood Lead Levels in Children (Age 6 and under)



Date Used: 2010
Source: DHS

Built Environment


Percentage of Homes Built Before 1950



Dates Used: 2010-2012
Source: US Census

Natural Environment

Annual Number of Unhealthy Air Quality Days




National Benchmark: 0%

Date Used: 2007

Source: County Health Rankings/PHASE

Natural Environment

Estimated Percentage of Population on Municipal Water




Date Used: 2011

Source: County Health Rankings/WI DNR

Natural Environment

Percentage of Population Exposed to Contaminants in Municipal Water (In a calendar year)



Date Used: 2010

Source: County Health Rankings/WI DNR